

Victoria University
O.P.
Bangladesh

Course title: Object oriented programming

Course code: CSI-211

Program: BSc in CSE

Submitted By

Md Sarker Hossain Shawon

ID: 2119170031

Ans to the Q. No. 1(a)

The word "polymorphism" means having many forms. In simple words, we can define polymorphism as the ability of a message to be displayed in more than one form. A real life example of polymorphism is a person who at the same time can have different characteristics.

Ans to the Q.No.1(6)

An Entity that has state and behaviour is known as an object e.g. chair, bike marker, pen, table, car etc. It can be physical or logical (tangible and intangible). The example of an intangible object is the banking system.

An object has three characteristics.

State: represent the data (value) of an object

Behaviour: represent the behaviour of an object such as deposit, withdraw

Identity: An object identity is typically implemented via a unique ID. The value of the ID is not visible to the external user. However, it is used internally by the JVM to identify each object uniquely.

A class is a group of objects which have common properties. It is a template or blueprint from which objects are created. It is a logical entity. It can't be physical. A class in Java contains Fields, Methods, constructors, Blocks, Nested class and interface.

in this example we have created a Student class which has two data members id and name. We are creating the object of the Student class by new keyword and printing the object value.

Here we are creating a main() method inside the class

// java program to illustrate how to define a class and field

// Defining a Student class.

class Student

// defining fields

int id; // Field or data member or instance variable

String name;

// Creating main method inside the Student class

public static void main (String args) {

// creating and object or instance

Student s1 = new Student(); // creating an object

// printing values of the object of Student

System.out.println (s1.id); // accessing member through reference

System.out.println (s1.name);

Ans to the Q.No.1(c)

Object-oriented programming is ultimately about taking a huge problem and breaking it down to solvable chunks. For each mini problem, you write a class that does what you require. And then - best of all - you can reuse those classes, which makes it even quicker to solve the next problem.

This isn't to say that OOP is the only way to write software. But

There's a reason that languages like C++, C# and Java are the go-to options for serious software development.

The benefit of object-oriented programming lies in this kind of encapsulation. Here's a look at some of object-oriented programming's benefits.

Modularity for easier troubleshooting:
when working object-oriented programming languages, you know exactly where to look when something goes wrong.
"Oh the car object broke down"

The problems must be in the car class you don't have to go line by line through all your code that's the beauty of encapsulation objects are self-contained, and each bit of functionality does its own thing while leaving the other bits alone, this modularity allows a team to work on multiple objects simultaneously while minimizing the chance that one person might duplicate someone else's functionality.

Flexibility through polymorphism:

Riffing on this example, you now need just a few drivers, or functions, like "drive car", "drive Race car" and "Drive Limousine".

Race Car Drivers Share Some traits with Limousine Drivers, but other things, like Race Helmets and Beverage Sponsorships, are unique.

This is where object-oriented programming polymorphism comes into play. Because a single function can shape-shift to adapt to whichever class it's in.

You could create one function in the parent car class called "drive" - not "driveCar" or "driveRacecar," but just "drive". This one function would work with the RacecarDriver, LimousineDriver and so on. In fact, you could even have

"Racecar.drive (myRacecarDriver)" or
"limo.drive (myChauffeur)!!"

(Q.S.)

Ans To The Q: No. 2(a)

Java applets are used to provide interactive features to web application and can be executed by browsers for many platforms. They are small portable Java programs embedded in HTML pages and can run automatically when the pages are viewed. Malware authors have used Java applets as a vehicle for attack.

Ans To The Q. NO. 2(b)

Describe types of Application's That run on Java.

Java is one of the popular programming language having a number of applications. Through this blog, I will be listing down the some applications of java

- * Mobile Applications
- * Desktop GUI Applications
- * web-based Applications
- * Enterprise Applications

- * Scientific Applications

- * Gaming Applications

- * Big Data technologies

- * Business Applications

- * Distributed Applications

- * cloud-based Applications

Mobile Applications

Java is considered as the official programming language for mobile app development. It is compatible with software such as Android Studio and Kotlin. Now you must be wondering why only Java

The reason is that it can run on Java virtual Machine (JVM), whereas Android uses DVM to execute class files. These files are further bundled as Android application package with Java and its OOPS principles. It provides better security and ease of simplicity with Android.

Big data technologies:
Java is the reason why the leading Big data technologies like Hadoop have become a reality and also the most powerful programming languages like Scala are existing. It is crystal clear that Java is the backbone when it comes to developing

Ans To The Q.No. 2(c)

Multithreading: In java, Multithreading refers to a process of executing two or more threads simultaneously for maximum utilization of the CPU. A thread in Java is a lightweight process requiring fewer resources to create and share the process resource.

Advantages of Multithreading:

- # Enhanced performance by decreased development time.
- # Simplified and streamlined program coding.

- # Improved GUI responsiveness
- # Decreased cost of maintenance
- # Better use of CPU resources

disadvantages of multithreaded

- * complex debugging and testing processes
- * Overhead switching of context
- * Increased difficulty level in writing a program
- * Increased potential for deadlock occurrences
- * Unpredictable results.